

Retractable Seating










RS 1 Chair

Compound polypropylene seat and backs with anti-UV and anti-static additives on a retractable unit also available in a tread and riser fixed format
























RS 1 Chair





* REDUCED TREAD SPACE MAY MEAN FACIA PANEL OPTION IS NOT AVAILABLE

General Specification

Seat

390mm front to back and 420mm side to side. Shell is contoured to allow for a comfortable sitting position.

Back

280mm top to bottom and 390mm side to side. Shell is contoured to create a lumbar support with a 'roll' on the top part of the shell.

Stanchions

Constructed from hollow section steel and plate, complete with sprung 'auto-tip' seat brackets to BS5216 ND/3. All steelwork is powder coated to RAL 7016 anthracite grey or RAL 9005 black as standard.

Plastic Shells

Seats and backs moulded in compounded polypropylene with a smooth finish and anti UV & anti-static additives. Choose from 6 colours in the standard range.

Options









RS 1Birley Community College, Sheffield











































RS 2 Chair


Fully upholstered cut foam entry level chair on a retractable unit, available with or without armrests and also in a fixed format.






















RS 2 Chair





General Specification

Seat

440mm front to back, upholstered 40mm thick CMHR 60 foam cushion, supported on a high-density birch plywood base and fitted with a jacket cover in selected material.

Back

300mm top to bottom, upholstered 32mm thick CMHR 35F foam cushion, supported on a high-density birch plywood base and fitted with a jacket cover in selected material.

Stanchions

Constructed from hollow section 40mm x 40mm (20) steel and plate, complete with sprung "auto-tip" seat brackets to BS5216 ND/3. All steelwork is powder coated to RAL 7016 anthracite grey or RAL 9005 black as standard.

Arms (Optional)

230mm in length with top and sides covered in CMHR foam and selected material.

Cover material

Covering material to be selected from standard range.

Options


























































RS 3 Chair

Fully upholstered molded foam chair on a retractable unit, available with or without armrests and also in a fixed format.






















RS 3 Chair





* REDUCED TREAD SPACE MAY MEAN FACIA PANEL OPTION IS NOT AVAILABLE

General Specification

Seat

460mm front to back, upholstered 60mm thick CMHR 60 flat foam cushion, supported on a high-density birch 12mm plywood base, underside finished with a 6mm capping and fitted with a jacket cover in selected material.

Back

500mm top to bottom, upholstered and anatomically contoured 50mm thick CMHR 35 foam cushion, supported on a high-density birch plywood base, outside back finished with 6mm capping and fitted with a jacket cover in selected material.

Stanchions

Constructed from 40mm x 20mm (40) hollow section steel and plate, complete with sprung 'auto-tip' seat brackets to BS5216 ND/3. All steelwork is powder coated to RAL 7016 anthracite grey or RAL 9005 black as standard.

Arms (optional)

230mm in length with top and sides covered in CMHR foam and selected material.

Material

Covering material to be selected from standard range.

Options
























































RS 3-5 Beis Yaakov, Manchester






















RS 3-5 East Durham College








































































RS 5 Chair

Fully upholstered, contoured molded foam chair on a retractable unit, available with or without armrests and also in a fixed format.






















RS 5 Chair





* REDUCED TREAD SPACE MAY MEAN FACIA PANEL OPTION IS NOT AVAILABLE

General Specification

Seat

460mm front to back, upholstered 60mm thick CMHR 60 contoured foam cushion, supported on a high-density birch 12mm plywood base. Underside finished with a 6mm capping and fitted with a jacket cover in selected material.

Back

500mm top to bottom, upholstered and anatomically contoured 50mm thick CMHR 35 foam cushion, supported on a high-density birch plywood base, outside back finished with 6mm capping and fitted with a jacket cover in selected material.

Stanchions

Constructed from 40×20 (40) hollow section steel and plate, complete with sprung 'auto-tip' seat brackets to BS5216 ND/3. All steelwork is powder coated to RAL 7016 anthracite grey or RAL 9005 black as standard.

Arms (optional)

250mm in length with top and sides covered in CMHR foam and selected material.

Material

Covering material to be selected from standard range.

Options

































RS 5 High Back

Huddersfield University, Oaster Building
























RS 5 Lecture Theatre Chair with Folding Ledge















RS 6 Chair

Fully upholstered, rounded mold foam chair on a retractable unit, available with or without armrests and also in a fixed format.






















RS 6 Chair





General Specification

Seat

450mm front to back, upholstered 60mm thick CMHR 60 foam cushion, supported on a 12mm thick high-density birch plywood base curved back to front for comfort and covered in selected material. Underside finished with 3mm plywood and 8mm foam capping finished in matching material.

Back

470mm top to bottom, upholstered and anatomically contoured CMHR 50 foam cushion, supported on a 10mm thick high-density birch plywood base curved side to side. Outside back finished with 6mm capping and covered in selected material.

Arms (optional)

250mm in length with profiled side panels in 12mm plywood. Top and sides covered with CMHR foam and selected material.

Stanchions

Constructed from hollow section steel and plate, complete with sprung 'auto-tip' seat brackets to BS5216 ND/3. All steelwork is powder coated to RAL 7016 anthracite grey or RAL 9005 black as standard.

Material

Covering material to be selected from standard range.

Options











RS 6 Landstede Basketball & Volleyball School, Zwolle
















































RS 20 Seat

backrest and also in a fixed format.






















RS 20 Seat





General Specification

Seat

290mm front to back, with front fascia manufactured from 18mm thick 'MDF' board with plastic laminate and matching edges.

Folding backrest (optional)

190mm top to bottom, manufactured from 18mm thick 'MDF' board with plastic laminate and matching edges.

Metalwork

All steelwork is powder coated to RAL 7016 anthracite grey or RAL 9005 black as standard.


Options
































Leeds Metropolitan University
























University of Central Lancashire
























RS 22 Seat

Upholstered bench seats on a retractable unit, available with or without a backrest and is also available in a fixed format. Ask for more details on our deluxe range
























RS 22 Seat





General Specification

Seat

300mm front to back, upholstered 45mm thick CMHR 60 foam cushion, supported on a high-density birch plywood base. Front fascia manufactured from MDF board with plastic laminate and matching edges.

Folding backrest (optional)

190mm top to bottom, upholstered 45mm thick CMHR 60 foam cushion, supported on a high-density birch plywood base.

Metalwork

All steelwork is powder coated to RAL 7016 anthracite grey or RAL 9005 black as standard.

Covering material

Covering material to be selected from standard range.


Options


































B&B Barnes Intant School, Sunderland























Rs 26 Chair

Fully upholstered double tip-up bench seat on a retractable unit, also available in a fixed format.






















RS 26 Chair





* REDUCED TREAD SPACE MAY MEAN FACIA PANEL OPTION IS NOT AVAILABLE

General Specification

Seat

410mm front to back, upholstered 60mm thick CMHR 60 foam cushion, supported on a high-density 18mm birch plywood base and fitted with a jacket cover in selected material.

Back

480mm top to bottom, upholstered 30mm thick CMHR 35 foam cushion, with integral lumbar support, on a high-density 18mm birch plywood base. Outside back finished with 6mm capping and fitted with a jacket cover in selected material.

Stanchions

Constructed from hollow section steel and plate, complete with sprung 'auto-tip' seat brackets to BS5216 ND/3. All steelwork is powder coated to RAL 7016 anthracite grey or RAL 9005 black as standard.

Material

Covering material to be selected from standard range.

Options









RS 26 The Crucible, Sheffield



















